




# Wall Bracket

## CLEO series d/s sign frame and wall bracket Portrait



### Description:

Protruding sign frame with easy change over graphics.   
Wall bracket can have frames mounted in either portrait or landscape orientation. Portrait Shown here.  
Frames sold assembled and without graphics.

### Details:

Cleo flat aluminum profile with top and bottom end caps and a side wall bracket.  
Non-glare clear covers are standard.  
Clear or black anodized finished frames and matching end caps.

### Dimensions:

Cleo frame widths available: CL60, CL70, CL80, CL100, CL120, CL150, CL180 CL200, CL-Letter, CL254, CL11, CL300, CL330, CL14, CL400, CL17, CL500, CL22, CL600.  
Heights available: 1.5" - 96".

**Extensia International Systems Inc.**



PH 1.866.275.1996 EMAIL [sales@extensiasign.com](mailto:sales@extensiasign.com) ADDRESS 41 Proton Street S., P.O. Box 760, Dundalk, ON., N0C 1B0





[www.extensiasign.com](http://www.extensiasign.com)

2

1


B

B



A

A



2



1

2

1

CL150 x 8" d/s wall bracket


Top view



B

B



Mounting holes



End cap

Clear cover

Wall bracket



A

A

Back side

Side view

Front view

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF <COMPANY NAME>. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF <COMPANY NAME> IS PROHIBITED.

		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ±    BEND ± TWO PLACE DECIMAL    ± THREE PLACE DECIMAL    ±		NAME	DATE	
			DRAWN			
			CHECKED			
			ENG APPR.			
			MFG APPR.			
		MATERIAL	Q.A.			
		FINISH	COMMENTS:			Cleo Wall Bracket - Portait_pg2
NEXT ASSY	USED ON					
APPLICATION		DO NOT SCALE DRAWING				

2

1



# Product Guide

## CLEO Series Sign Frame with Removable Clear cover Portrait & Landscape

**19** Cleo frame widths available and custom cut to suit your message schedule and project details.

Frames can be orientated with curve running either horizontal (portrait) or vertical (landscape).

Braille & tactile compatible with all frames larger than our CL120.

Variety of end cap and base plates available for desk top, cubical, projecting or free standing applications.

**Portrait Format:**  
End caps top & bottom  
of sign frame  
horizontal curve

CL150 x 8  
sign frame



CL150 x 8"  
d/s projecting




**Landscape Format:**  
End caps on both sides  
of sign frame  
vertical curve

IN120 x 10"  
sign frame



CL150 x 8"  
d/s projecting



Extrusion Style	Extrusion Width	Insert Size
CL60	2.48"/63mm	2.36"/60mm
CL70	2.88"/73mm	2.76"/70mm
CL80	3.27"/83mm	3.15"/80mm
CL100	4.06"/103mm	3.94"/100mm
CL120	4.84"/123mm	4.72"/120mm
CL150	6.00"/153mm	5.90"/150mm
CL180	7.20"/183mm	7.08"/180mm
CL200	7.87"/203mm	7.84"/200mm
CL-Letter	8.66"/220mm	8.50"/216mm
CL254	10.12"/257mm	9.96"/254mm
CL11	11.10"/283mm	11.00"/280mm
CL300	11.92"/303mm	11.81"/300mm
CL330	13.00"/333mm	13.00"/330mm
CL14	14.10"/359mm	14.00"/356mm
CL400	16.95"/403mm	15.75"/400mm
CL17	17.10"/434mm	17.00"/431mm
CL500	19.80"/503mm	19.70"/500mm
CL22	22.10"/562mm	22.00"/559mm
CL600	23.75"/603mm	23.62"/600mm

