



Suspended

INFINITY series d/s suspended sign frame Portrait



Description:

d/s suspended sign frame with easy change over graphics.

Wide or slim versions available.

Available with frames mounted in either portrait or landscape orientation. Portrait Shown here.

Frames sold assembled and without graphics.



Details:

Aluminum sign frame, non glare clear cover with top and bottom end caps.

Clear or black anodized finished frames and matching end caps from sizes IN40 - IN600.

Supplied with stainless cable and cable clamps

Dimensions:

Infinity frame widths available: IN40, IN60, IN80, IN100, IN120, IN150, IN200, IN-Letter, IN11, IN300, IN14, IN400, IN17, IN500, IN22, IN600.

Heights available: 3" - 96".

Extensia International Systems Inc.

PH 1.866.275.1996 EMAIL sales@extensiasign.com ADDRESS 41 Proton Street S., P.O. Box 760, Dundalk, ON., N0C 1B0

www.extensiasign.com




2

1

B

B



A

A



2

1



Product Guide

INFINITY Series Sign Frame with Removable Clear cover Portrait & Landscape

16 Infinity frame widths available and custom cut to suit your message schedule and project details.

Frames can be orientated with curve running either horizontal (portrait) or vertical (landscape).

Braille & tactile compatible with all frames larger than our IN120.

Variety of end cap and base plates available for desk top, cubical, projecting or free standing applications.

Portrait Format:
End caps top & bottom
of sign frame
horizontal curve

IN150 x 6"
sign frame



Landscape Format:
End caps on both sides
of sign frame
vertical curve

IN150 x 6"
sign frame



IN150 x 6"
d/s projecting



IN150 x 6"
d/s projecting



**Extrusion
Style**

**Extrusion
Width**

**Insert
Size**

IN40	1.98"/50mm	1.45"/37mm
IN60	2.75"/70mm	2.26"/58mm
IN80	3.54"/90mm	3.05"/78mm
IN100	4.41"/110mm	3.88"/98mm
IN120	5.12"/130mm	4.61"/117mm
IN150	6.30"/140mm	5.78"/147mm
IN200	8.27"/210mm	7.72"/196mm
IN-Letter	9.06"/230mm	8.50"/217mm
IN11	11.51"/293mm	11"/279mm
IN300	12.24"/310mm	11.69"/297mm
IN14	14.25"/362mm	14"/356mm
IN400	15.87"/410mm	15.61"/397mm
IN17	17.24"/438mm	17"/432mm
IN500	19.84"/510mm	19.59"/498mm
IN22	22.24"/565mm	22"/559mm
IN600	23.78"/605mm	23.52"/598mm

