

Pylon

PC Series d/s Sign Frame with Base Plate Portrait



Description:

Double sided sign frames with easy change over graphics.

Fixed or movable base plates.

Wide or slim versions available.

Frames sold assembled and without graphics.

Details:

PC convex aluminum profile with a top end cap and bottom base plate. Non-glare clear covers are standard. Pylons are in a Portrait format with a base plate that can be used with casters if requested. Clear or black anodized finishes for frames and end caps are standard. pc60 - pc600 Silver or black painted base plates.


Dimensions:


PC Frame widths available: pc Letter, pc11, pc300, pc17, pc400,pc22, pc500, pc600, pc700, pc800, pc900. Heights available: 48" - 84".


Oval base plate.



















A

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN
THIS DRAWING IS THE SOLE
PROPERTY OF <company name="">.</company>
ANY REPRODUCTION IN PART OR AS
A WHOLE WITHOUT THE WRITTEN
PERMISSION OF < COMPANY NAME>
IS PROHIBITED.

В

		DIMENSIONS ARE IN INCHES TOLERANCES:	DRA
		FRACTIONAL± ANGULAR: MACH± BEND ±	CHE
		TWO PLACE DECIMAL ±	ENG
		THREE PLACE DECIMAL ±	MFG
		MATERIAL	Q.A
			CON
NEXT ASSY	USED ON	FINISH	
APPLICATION		DO NOT SCALE DRAWING	

	INAME	DAIL					
DRAWN							
CHECKED			Pylon parts list				
ENG APPR.			wide and slim designs				
MFG APPR.			wide and siin designs				
Q.A.							
COMMENTS:							
			SIZE DWG. NO. pc Pylon REV.				
			SCALE:1:50 WEIGHT: SHEET 3 OF 3				

В

_



Product Guide

PC Series Sign Frame with Removable Clear cover Portrait & Landscape

22 pc frame widths available and custom cut to suit your message schedule and project details. Frames can be orientated with curve running either horizontal (portrait) or vertical (landscape). Braille & tactile compatible with all frames larger than our pc120.

Variety of end cap and base plates available for desk top, projecting or free standing applications.

pc200 x 3" sign frame

pc200 x 8" d/s projecting





Portrait Format:
End caps top & bottom of sign frame horizontal curve



Extrusion Style	Extrusion Width	Insert Size			
sing	single profile extruded frames				
pc40	1.57"	1.45"/37mm			
pc60	2.36"	2.26"/58mm			
pc80	3.14"	3.05"/78mm			
pc100	3.93"	3.88"/98mm			
pc120	4.72"	4.61"/117mm			
pc150	5.90"	5.78"/147mm			
pc200	7.87"	7.72"/196mm			
pc LETTER	8.70"	8.50"/217mm			



pc200 x 16" sign frame

pc200 x 8" d/s projecting



Landscape Format:
End caps on both sides
of sign frame
vertical curve

Extrusion Style	Extrusion Width	Insert Size				
multi-profile extruded frames						
pc11	11.10"	11"/279mm				
pc300	11.81"	11.69"/297mm				
pc14	14.16"	14"/356mm				
pc400	15.74"	15.61"/397mm				
pc17	17.15"	17"/432mm				
pc500	19.68"	19.59"/498mm				
pc22	22.08"	22"/559mm				
pc600	23.62"	23.52"/598mm				
pc700	27.70"	27.56"/700mm				
pc800	31.50"	31,43"/799mm				
pc900	35.50"	35.40"/899mm				
pc1000	39.37"	39.31"/999mm				
pc1100	43.44"	43.25"/1099mm				
pc1200	47.31"	47.19"/1199mm				
-						
Constant production of the constant of the cons	E.	A Marine				

2

В